

Laser All-in-One / Laser Fax Lineup

Function	Models					
	KX-MB262CX (3-in-1)	KX-MB772CX (5-in-1)	KX-FLB852CX (7-in-1)	KX-FLB882CX (7-in-1)	KX-FL613SN (Fax)	KX-FL402CX (Fax)
PRINT	•	•	•	•	–	–
COLOR SCAN	•	•	•	•	–	–
COPY	•	•	•	•	•	•
FAX	–	•	•	•	•	•
PC FAX	–	•	•	•	–	–
NETWORK	–	–	• Optional	•	–	–
HANDSET	–	–	•	• Optional	•	•
General Function						
ADF (page)	–	20	50	40	20	15
Paper Capacity (sheet)	250	250	250	250	250	200
Paper Handling	A4/letter/legal	A4/letter/legal	A4/letter/legal	A4/letter/legal	A4	A4/letter/legal
Printer Function						
Print Speed (ppm)	18	18	18	21	–	–
Print resolution	600 dpi x 600 dpi	600 dpi x 600 dpi	600 dpi x 600 dpi	600 dpi x 600 dpi	–	–
Scanner Function						
Scanner type	Color Readiris OCR software bundled	Color Readiris OCR software bundled	Color	Color	–	–
Scanning resolution (dpi)	600 x 1200 (flatbed) 9600 x 9600 (interpolated)	600 x 1200 (flatbed) 9600 x 9600 (interpolated)	600 x 1200 (flatbed) 9600 x 9600 (interpolated)	600 x 1200 (flatbed) 9600 x 9600 (interpolated)	–	–
Copier Function						
Copy Speed	18	18	18	21	14	10
Copy Resolution	600 dpi x 600 dpi	600 dpi x 600 dpi	600 dpi x 600 dpi	600 dpi x 600 dpi	600 dpi x 600 dpi	600 dpi x 600 dpi
Copy (2-1/4-1/8-1)	•	•	–	•	–	–
Enlargement/Reduction Ratio	25-400% (1% step)	25-400% (1% step)	50-200% (5% step)	25-400% (1% step)	50-200% (5% step)	50-200% (5% step)
Fax Function						
Transmit Speed (sec.)	–	4	4	4	8	8
Modem Speed (kbps)	–	33.6	33.6	33.6	14.4	14.4
Out-of-Paper Reception (pages)	–	170	630	630	170	40
Resolution	–	Standard/Fine/Super Fine/Half-tone	Standard/Fine/Super Fine/Half-tone	Standard/Fine/Super Fine/Half-tone	Standard/Fine/Super Fine/Half-tone	Standard/Fine/Super Fine/Half-tone
Interface						
PC Interface	USB 2.0 High-Speed	USB 2.0 High-Speed	USB 2.0 High-Speed	USB 2.0 High-Speed 10 Base-T/100 Base-TX	–	–
Others						
Supported OS version	Microsoft®Windows®98/Me/ 2000/XP/Vista	Microsoft®Windows®98/Me/ 2000/XP/Vista	Microsoft®Windows®95/Me/ 2000/XP/Vista	Microsoft®Windows®98/Me/ 2000/XP/Vista	–	–
Power Source	AC 220-240V, 50/60 Hz	AC 220-240V, 50/60 Hz	AC 220-240V, 50/60 Hz	AC 220-240V, 50/60 Hz	AC 220-240V, 50/60 Hz	AC 220-240V, 50/60 Hz
Dimensions (W x D x H)	420mmX445mmX225mm	420mmX445mmX305mm	773mmX444mmX312mm	440mmX445mmX318mm	430mmX480mmX370mm	360mmX357mmX218mm
Weight (kg)	Approx. 12.0kg	Approx. 13.0kg	Approx. 18.0kg	Approx. 16.0kg	9.2kg	7.4kg

Consumables

Consumables Model		Applicable Model	KX-MB262CX (3-in-1)	KX-MB772CX (5-in-1)	KX-FLB852CX (7-in-1)	KX-FLB882CX (7-in-1)	KX-FL613SN (Fax)	KX-FL402CX (Fax)
KX-FA83E	Toner Cartridge (2,500)*		–	–	–	–	•	–
KX-FA84E	Drum Unit (10,000)*		–	–	–	–	•	–
KX-FA85E	Toner Cartridge (5,000)*		–	–	•	•	–	–
KX-FA85E-D	Double-packed Toner Cartridge (5,000 x 2 packs)*		–	–	•	•	–	–
KX-FA86E	Drum Unit (10,000)*		–	–	•	•	–	–
KX-FAT88E	Toner Cartridge (2,000)*		–	–	–	–	–	•
KX-FAD89E	Drum Unit (10,000)*		–	–	–	–	–	•
KX-FAT92E	Toner Cartridge (2,000)*		•	•	–	–	–	–
KX-FAT92E-T	Triple-Packed Toner Cartridge (2,000 x 3 packs)*^		•	•	–	–	–	–
KX-FAD93E	Drum Unit (Max 6,000)*		•	•	–	–	–	–
KX-FA104E	Maintenance Kit		–	–	•	–	–	–

*5% coverage for A4/LTR pages.

^Selected destinations only. Terms and conditions apply.

Optional Accessories

Accessories Model		Applicable Model	KX-MB262CX (3-in-1)	KX-MB772CX (5-in-1)	KX-FLB852CX (7-in-1)	KX-FLB882CX (7-in-1)	KX-FL613SN (Fax)	KX-FL402CX (Fax)
KX-FA101E	Lower Paper Tray Cassette (500 sheets)		–	–	•	–	–	–
KX-FA102E	LAN Board		–	–	•	–	–	–
KX-FA103E	Handset Unit		–	–	–	•	–	–

REGIONAL HEADQUARTER (Singapore)
PANASONIC SYSTEMS ASIA PACIFIC

INDIA BRANCH OFFICE
PANASONIC ASIA PACIFIC PTE LTD
615, E-Block, International Trade Tower
Nehru Place, New Delhi-110019.India
New Delhi: 011-41608081 Mumbai: 022-40331626

Get Your Business
Up And Running



Laser All-In-One

Laser Fax Lineup



FLB882CX



FLB852CX



MB262CX



MB772CX



FL402CX



FL613SN

Laser All-In-One / Laser Fax Lineup

Experience total convenience for your business with Panasonic Laser All-In-One that offers easy-to-use print, fax, scan, copy and phone capabilities. For simple office operations, take your pick from our range of Laser Fax that are durable and catered to meet all business needs.

At Panasonic, we have a solution that is perfect for you.



Laser All-In-One



PRINT

COPY

FAX

PC FAX

COLOR SCAN

NETWORK READY

HANDSET*

FLB882CX

7-in-1: Print, Copy, Fax, PC Fax^o, Flatbed Colour Scan, Network Ready, Handset*

- 21 ppm High-Speed Laser Printing
- 600 x 600 dpi Print Resolution
- 21-cpm Copy Speed
- 2-Bin Document Separator
- 33.6 kbps Super G3 Fax
- USB 2.0 High-Speed
- 32MB Memory
- 40 Sheets ADF
- 2 Way Output Tray

*Optional Item

FLB852CX

7-in-1: Print, Copy, Fax, PC Fax^o, Flatbed Colour Scan, Handset, Network Ready*

- 18 ppm High-Speed Laser Printing
- 600 x 600 dpi Print Resolution
- 18-cpm Copy Speed
- Flexible 3-Bin Document Sorter
- 33.6 kbps Super G3 Fax
- USB 2.0 High-Speed
- 32MB Memory
- 50 Sheets ADF

*Optional Item



PRINT

COPY

FAX

PC FAX

COLOR SCAN

NETWORK READY*



- PRINT
- COPY
- COLOR SCAN

Comes with Full Toner[^]

[^]Selected destinations only. Terms and conditions apply.

MB262CX

3-in-1: Print, Copy, Flatbed Colour Scan

- 18 ppm High-Speed Laser Printing
- 600 x 600 dpi Print Resolution
- 18-cpm Copy Speed
- N-in-1 Copy Feature (2-1, 4-1, 8-1)
- USB 2.0 High-Speed
- 32MB Memory

MB772CX

5-in-1: Print, Copy, Fax, PC Fax^o, Flatbed Colour Scan

- 18 ppm High-Speed Laser Printing
- 600 x 600 dpi Print Resolution
- Automatic Document Feeder
- 18-cpm Copy Speed
- 33.6 kbps Super G3 Fax
- N-in-1 Copy Feature (2-1, 4-1, 8-1)
- USB 2.0 High-Speed
- 32MB Memory



- PRINT
- COPY
- FAX
- PC FAX
- COLOR SCAN

Comes with Full Toner[^]

[^]Selected destinations only. Terms and conditions apply.

Laser Fax



- COPY
- FAX

FL402CX

- 14.4 kbps High-Speed Fax Transmission
- 10 cpm Copy Speed
- Quality Laser Copying
- Caller ID Ready⁺
- 150-Page Document Memory^{1,3}



- COPY
- FAX

FL613SN

- 14.4 kbps High-Speed Fax Transmission
- 14 ppm High-Speed Laser Copying
- 250-Sheet Paper Capacity
- Multiple Copies (Up to 99 from the Original)
- 170-Page Document Memory^{1,2}
- Caller ID Ready⁺

^o Available when connected to PC running Microsoft® Windows®. Multi-function software is included.

^{*1} Based on ITU-T No. 1 test chart.

^{*2} Max. 179 pages for out-of-paper reception. Max. 120 pages for memory transmission.

^{*3} Max. 40 pages for out-of-paper reception. Max. 150 pages for memory transmission.

⁺ Requires subscription to fee-based telephone company service. This feature is only applicable for selected countries only.